# TOPKOTE

# Xtreme Spray Gun Cleaner Technical Information 560X7400

#### **Product Description**



Xtreme Spray Gun Cleaner is an environmentally friendly product. Spray tips, guns, and other metal parts can be soaked in this safe stripper/cleaner for effortless paint removal. Xtreme Spray Gun Cleaner can be strained and reused over and over again. Xtreme Spray Gun Cleaner is water based, nonflammable and will not corrode metal parts and will not pit aluminum. It contains no methylene-chloride, caustic or other harsh chemicals and easily cleans up with water.

### **Equipment:**

Xtreme Spray Gun Cleaner should be used in a container made of heavyduty polyethylene, steel, or stainless steel. A wire basket or screen at the bottom of the tank will be helpful in removing paint from the stripping solution. The screen size should be fairly small to remove as many contaminants as possible.

### **Types of Coatings Removed:**

Xtreme Spray Gun Cleaner can remove most common household paints and varnishes which are water-based and oil-based including latex, alkyds, stains, enamels, lacquers, and clear paints, as well as most difficult coatings such as epoxy.

### **Directions:**

Mixing Ratio is 1 part Xtreme Spray Gun Cleaner to 2 parts water. In a clean 5 gallon pail, add 1 gallon Xtreme Spray Gun Cleaner to 2 gallons of water. Stir thoroughly with mixing stick or paddle before every use. Drop parts to be cleaned in the Xtreme Spray Gun Cleaner solution. Time of the stripping will depend on the type of paint being removed, the number of layers of material, and the temperature of the paint remover.

Stripping time may vary from minutes to overnight depending on the type and build up of paint and temperature of the liquid. To determine if the items have been stripped, use a chemical resistant rubber glove to periodically lift the parts bucket out of the container. In many cases the paint will separate from the parts and be collected in the bottom of the pail. In other cases it will be necessary to remove loosened paint with a wire brush, stiff bristle brush, or scrub pad. This can be done over the dipping container or over a separate container. Final clean up or removal of any residual paint can be accomplished using compressed air or a water wash. Keep container sealed when not in use to minimize evaporation. Dispose of in accordance with local, state, and federal regulations.

## As a Paint Sprayer/Gun Cleaner Solution:

Xtreme Spray Gun Cleaner can also be used as a cleaning solution to clean out the interior of paint sprayers, guns, and hoses. This is accomplished by running the Xtreme Spray Gun Cleaner solution through the sprayer according to the Manufacturer's instructions. Follow the Manufacturer's instructions for cleaning out their sprayers. Always remember to remove the spray tip and use extreme caution with high pressure spray equipment.

#### **Reusing Xtreme Spray Gun Cleaner:**

Xtreme Spray Gun Cleaner is a slow evaporating product and may be reused.

### **Safety Instructions:**

Rubber gloves and safety glasses are recommended. Avoid eye contact. If eye contact occurs immediately flush with plenty of water for 15 minutes. Avoid prolonged and repeated contact with skin. If skin contact occurs, wash with soap and water. Maintain adequate ventilation especially in confined areas. If swallowed do not induce vomiting. Give 1 or 2 glasses of water and call a physician immediately.

The technical data furnished are true and accurate to the best of our knowledge at the date of issuance. It is subject to change without prior notice. It is suggested the user verify with Sumter Coatings, Inc. prior to specifying or ordering. Test results are believed to be reliable; however, no guarantee of accuracy is given or implied. We guarantee all products to conform to Sumter Coatings, Inc.'s quality control standards. Liability, if any, is limited to replacement of product. No other warranty or guarantee of any kind, expressed or implied, is made by Sumter Coatings, Inc., including fitness for a particular purpose.